

CEMIX LIQUID WATERPROOFING ADMIXTURE



DESCRIPTION:

CEMIX WATERPROOFING ADMIXTURE improves the waterproofing properties of Cement Mixes.

ADVANTAGES:

- Improves the waterproofing properties of Portland cement.
- Easy to use.
- Durable - lasts as long as the life of the structure.
- Increases the workability of the mix.
- Does not affect normal cement properties.

DIRECTIONS:

Add CEMIX WATERPROOFING ADMIXTURE to the mixing water for all work.

CONCRETE:

Normal concrete practice regarding mixing, placing and curing must be followed at all times.

PLASTER:

It is recommended that all work be done using a two coat method as follows:

- 1st Coat – A 10mm render of sand and cement with CEMIX LIQUID WATERPROOFING ADMIXTURE in the mixing water.
- 2nd Coat – Build up to the required finished thickness – but not less than 20mm total thickness.

The second coat must be applied not less than 24 hours after the first coat.

REMEDIAL WORK:

For all repair work, it is recommended that the existing surface be hacked to form a mechanical key, followed by the use of a bonding agent such as MULTIBOND or ACRYLBOND.

MIXING:

Thoroughly agitate contents before use. Add CEMIX LIQUID WATERPROOFING ADMIXTURE to the usual mixing water. Mix cement, sand and/or aggregates in the usual quantities.

DOSAGE:

Use at the rate of 1 litre per 40kg bag of cement for all applications. CEMIX LIQUID WATERPROOFING ADMIXTURE is supplied ready for use.

PACKAGING:

CEMIX WATERPROOFING ADMIXTURE is packed in 1 litre, 2.5 litre and 5 litre bottles, 20 litre pails and 210 litre drums.

WARNING:

Ensure adequate ventilation. Do not use CEMIX LIQUID WATERPROOFING ADMIXTURE in concrete or plaster that is in contact with drinking water.

DISCLAIMER

Please Note: Recommendations and advice regarding the use of this product are to be taken as a guide only.

Other than as appears on this products packaging, CEMIX LTD. does not give any warranty express or implied as to the suitability of this product for your particular use, because the usage of this product is beyond the control of CEMIX LTD. If you need advice concerning the use of suitability of this product for your particular application, please contact CEMIX LTD first. If this product is defective because of CEMIX LTD's fault, please contact the supplier or CEMIX LTD. who will replace it at no cost.