

## SPECIFICATION DATA SHEET

# RENDACURE

## CONCRETE CURING COMPOUND



### DESCRIPTION:

RENDACURE is applied to newly laid concrete surfaces to prevent moisture loss and to help ensure that the desired strength of the concrete is reached.

### ADVANTAGES:

- Gives controlled concrete curing.
- Allows slow moisture evaporation.
- Quick and easy to use.
- Safe – non-toxic and non-flammable.

### USE:

RENDACURE is a resin emulsion which forms a membrane film when applied to the surface of the newly laid concrete. This membrane prevents the rapid evaporation of moisture from the concrete and aids the development of concrete strength. RENDACURE contains a dye, which fades with time, to indicate areas treated. RENDACURE may be used on all types of concrete structures, particularly where other means of wet curing are difficult to carry out, such as vertical or sloping faces.

Surfaces to which RENDACURE has been applied may be cement rendered, painted with a variety of coatings including resin emulsion, oil based and plastic types. Weathered film must be removed prior to treatment.

For 100% removal of RENDACURE, a light acid etching may be used.

### APPLICATION:

RENDACURE is supplied ready for use, direct from the container, may be applied with a soft broom or low pressure spray equipment. Application may begin as soon as the surface will receive it without marking or pitting the surface. Spraying will allow earlier application.

THOROUGHLY AGITATE CONTENTS BEFORE USE

### COVERAGE:

Six square metres per litre depending on the condition of the surface and the method of application. Ensure complete and even coverage in one application.

### PACKAGING:

RENDACURE is packed in 5 litre bottles, 20 litre pails and 210 litre drums.

### DISCLAIMER

Please Note: Recommendations and advice regarding the use of this product are to be taken as a guide only.

Other than as appears on this products packaging, CEMIX LTD. does not give any warranty express or implied as to the suitability of this product for your particular use, because the usage of this product is beyond the control of CEMIX LTD. If you need advice concerning the use of suitability of this product for your particular application, please contact CEMIX LTD first. If this product is defective because of CEMIX LTD's fault, please contact the supplier or CEMIX LTD. who will replace it at no cost.